## Dental Equipment Retail Price List April 2025



## belmontdental.co.uk

All prices listed are shown exclusive of VAT.

The manufacturers reserve the right to alter the prices and specifications without prior notice.

See our website: Tell me about the Eurus touch-screen:



## (]Belmont

## Dental Equipment Retail Price List April 2025 CONTENTS

- 2 FREE 5 Year Warranty
- 4 New Optional Implantology Motor System
- 6 **Eurus S1** Treatment Centres / Flexible Options / Factory Built-in Options
- 12 **Eurus S6** Treatment Centres / Flexible Options / Factory Built-in Options
- 18 **Eurus S8** Treatment Centres / Factory Built-in Options
- 24 **Voyager III** Treatment Centres / Flexible Options / Factory Built-in Options
- 28 Flexible Delivery Options Voyager 'M' / Voyager 'MC' / Clesta II 'M' / Clesta II 'MC' / Eurus 'M' and 'MC'
- 32 Dental Chairs Eurus Swivel / 050 Clair / Eurus Contour / Clesta II
- 34 Intra Oral X-rays 097 Belray II / Belmont Touch Phot-X IIS DC LCD
- 36 **Dental Operating Lights** 300 LED Series / 900 LED Series
- 38 Dental Stools For Operators & Assistants
- 40 **Upholstery** Standard / Ultrasoft / Pearlised
- 43 Hygiene & Care Cleaning and maintenance range
- 45 New Dental Educational Treatment Unit
- 46 Service Kits

For Treatment Centres, Modules & Mobile Carts



# **FREE** 5 Year Warranty

All current models of Belmont dental chairs have been through **vigorous durability testing** prior to mass production ensuring total reliability for the operator.

Each chair design has been tested to a ten-year life cycle of use, with 108,000 movements fully loaded to the chair maximum safe working patient weight to regulation IEC60601-1/ ISO 6875 specification.

(Which is equivalent to: 10 Years x 240 Days per year x 15 Patients per day x 3 chair movements per patient).



## Takara Belmont (UK) Ltd Warranty Policy

### **5 Year Warranted Products**

All Belmont treatment centres, individual chairs, units and dental lights are warranted for a period of five years from the date of delivery to the original owner. The warranty covers mechanical, electrical and workmanship faults, under normal working conditions.

Upholstery, paintwork, plating and all handpiece hoses are not warranted, unless they are reported to Takara Belmont (UK) and proved to be defective at the time of delivery. Failure due to natural wear and tear of any component is not warranted.

OEM factory build-in options (ie: fibre optics, scalers, motors, separators, CVS Kits etc) carry a warranty as recommended by the individual manufacturer.

### **2 Year Warranted Products**

All Belmont intra oral x-rays are warranted for two years from the date of delivery to the original owner. The warranty covers mechanical, electrical and workmanship faults, under normal working conditions. Paintwork and plating are not warranted unless they are reported to Takara Belmont (UK) and proved to be defective at the time of delivery.

Takara Belmont (UK) Ltd are not responsible for any failure caused by misuse of the equipment or damage caused due to poor installation by a non-authorised company.

The warranty policy applies to equipment purchased from and installed by an authorised Takara Belmont (UK) Ltd dealer. Labour will be charged on warranty work after the first year.

## Hygiene & Care

In order to maintain & prolong the longevity of your Belmont equipment, we highly recommend using our Hygiene & Care products. (See page 43)

#### PLEASE NOTE: ISO 13485 Certification

All of our dental products are supplied with a full EU Declaration of Conformity and certification to the standard complying with ISO 13485. Any modifications or alterations made after certification may affect your warranty as the responsibility for EU Declaration of Conformity and electrical safety will transfer to the modifier.



Belmont Dental are delighted to bring implantology integration as a built-in option to **all Eurus treatment centres** 

#### **IN PARTNERSHIP WITH BIEN-AIR**



#### Implantology Built-In System

Optional for the whole range of E-type Eurus Units and all operational via the intuitive touch-screen

Bien-Air MX-i LED 3rd Generation Micro Motor CA 20:1 Contra Angle Micro Series Handpiece Peristaltic Irrigation Pump Motor Stand Irrigation Line Stand Irrigation Lines (Pack of 10) Irrigation Clip Foot Stalk for Program Control (assembles onto the unit foot control)





Important Note: This option must be purchased with our Eurus products from the factory. This cannot be retro fitted on site.

<b>TREATMENT CENTRES</b> (Over-the-Patient delivery system)	With Unit Mounted D-921 Light	With Ceiling Mounted D-902C Light	Without Dental Light
Eurus S1 'Surgery System' Holder Type (A)	£22,355	£22,820	£20,590
Eurus S1 'Surgery System' Holder Type (E)	£25,405	£25,870	£23,640
Eurus S1 'Surgery System' CM Rod Type (A)	£23,615	£24,080	£21,850
Eurus S1 'Surgery System' CM Rod Type (E)	£26,675	£27,140	£24,910
Eurus S1 'Flexible System' (A) Dental Chair and Cuspidor with Eurus Cabinet Mounted Module or Mobile Cart Delivery System	£22,915	£23,380	£21,150
Eurus S1 'Flexible System' (E) Dental Chair and Cuspidor with Eurus Cabinet Mounted Module or Mobile Cart Delivery System	£25,965	£26,430	£24,200
When light sold with package above the saving over recommended retail price is:	Save £1,265	Save £1000	£0

Please state light model number when ordering treatment centre

### Eurus S1 Treatment Centres

## **Belmont**

### Chair Mounted Over-Patient Holder & Rod Type (A and E) with 921 unit-mounted operating light Optional Right/Left Handed Installation consists of ~

#### Chair section features include:

The Eurus S1 has a maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875) Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Swing-out armrest to 90 or 135 degrees Integrated service centre Synchronised axis backrest & seat movement Integrated foot stalks for chair control Seamless upholstery as standard

#### **Unit section (A) Doctor side:** features include:

Autoclavable unit handle cover, handpiece holders unit tray silicon mat, handpiece rest (Rod Type) Easy-clean membrane switch panel Doctor handpiece control touch screen with water low warning indicator 3-way autoclavable syringe 3 Fibre-optic & 1 non-optic handpiece outlets with individual air & water control First priority handpiece selection Handpiece water line flush-out system Handpiece oil mist collector Electronic foot control for accurate turbine speed control and integrated lifting handle

## **Unit section (E) Doctor side** additional *features include:*

Bien-Air MX2 fibre optic micro motor Pre-set micro motor & torque control with auto-reverse, Endo control and LCD display, with 2 fibre-optic outlets Optional upgrade to WaveOne endodontic system

Optional upgrade to Implantology Motor System

#### Assistant side (A and E)

#### features include:

Durr spittoon valve

Easily-detached porcelain bowl with 180 degree rotation 921 LED dental light with detachable autoclavable handles Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-clean membrane chair pre-set controls Detachable HVE & saliva ejector tubings HVE with ball joint for greater ease of operation Automatic bowl-flush & cup filler Bottled water system with water low warning LED on cup filler spout casing

Please see swatch brochure for upholstery options



### Furus S1 Treatment Centres

### **Flexible Treatment Centres** Type (A and E) with 921 unit-mounted operating light Optional Right/Left Handed Installation

consists of ~

#### Chair section features include:

The Eurus S1 has a maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875) Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Swing-out armrest to 90 or 135 degrees Integrated service centre Synchronised axis backrest & seat movement Integrated foot stalks for chair control Seamless upholstery as standard

#### 'Flexible System A & E'

#### Flexible System with Eurus Cabinet Module or Mobile Cart delivery systems A & E (please specify) 'A' version features include:

Cabinet mounting bracket and arm or height adjustable mobile cart base Autoclavable unit handle cover, handpiece holders and unit tray silicon mat Easy clean membrane switch panel Doctor handpiece control touch screen 3-way autoclavable syringe 3 Fibre optic & 1 non optic handpiece outlets with individual air & water controls First priority handpiece selection Electronic foot control for accurate turbine speed control and integrated lifting handle Handpiece flush-out Handpiece oil mist collector Bottled water system

#### 'E' version additional features include:

Bien-Air MX2 fibre optic micro motor Pre-set micro motor & torque control with auto-reverse, Endo control and LCD display, with 2 fibre-optic outlets

Optional upgrade to WaveOne endodontic system Optional upgrade to Implantology Motor System

## Assistant side (A and E)

features include: Easily-detached porcelain bowl with 180 degree rotation 921 LED dental light with detachable autoclavable handles Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-clean membrane chair pre-set controls Detachable HVE & saliva ejector tubings HVE with ball joint for greater ease of operation Automatic bowl-flush & cup filler Bottled water system with water low warning LED on cup filler spout casing Durr spittoon valve

#### Important:

Maximum loom length between module or cart to the chair is 6.7metres (standard is 2.7metres).

#### Please read before placing your order:

When ordering a Flexible Treatment Centre, it is imperative that you order the correct item - either a Cabinet Mounted Module or Mobile Cart.

If the **incorrect item** has been entered onto your purchase order and delivered to you, the cuspidor and delivery unit will need **returning to Takara** Belmont (UK) Ltd (before unpacking). Two completely new items will need to be manufactured to the correct specification, which will cause delays for your installation at the dental practice, and cost implications may be incurred.

Individual Delivery Options - p.28 Intra-Oral X-Ray Units - p.34 Operating Lights - p.36 Upholstery Prices – p.40 Upholstery Options – see separate swatch brochure for colours

## () Relmont



Eurus S1 Factory	<sup>,</sup> Built-in O	ptions
------------------	-------------------------	--------



	for Eurus S1
£0	NSK NLX-Plus micro motor
	(in place of Bien Air MX2 micro motor on 'E' version only)
£1,475	Additional Bien Air MX2 fibre-optic micro motor *
£3,850	Upgrade to Bien Air Implantology Motor System
£1,105	Upgrade to Bien Air WaveOne System with Contra Angle
£1,645	Additional NSK NLX-Plus fibre-optic micro motor *
£2,215	Cavitron G-139 scaler
£1,510	NSK Varios 170 non-optic scaler
£1,790	NSK Varios 170 optic scaler
£1,590	Satelec Newtron scaler
£1,875	Satelec Newtron LED scaler
£3,005	Durr CAS 1 Combi-Separator with rinse
£1,695	Acteon C20 HD Intra-Oral Camera
£975	Wireless unit foot controller (when factory fitted)
£735	Monitor mount
£425	Additional 3-way autoclavable syringe (assistant side)
£205	Additional easily detachable HV ejector hose (including ball joint for greater ease of operation)
£190	Large tray (double size for Rod Type)
£95	Tissue box holder (suits 72 wipe box H108mm, W138mm, D31mm)
£245	Flushing Tray A (Holder Type)
£245	Flushing Tray B (Rod Type)
£270	Annual service Kit 7

\* Additional micro motors must be the same model as the primary micro motor.



New Flushing Tray suitable for all treatment centres

<b>TREATMENT CENTRES</b> (Below-the-Patient delivery system)	With Unit Mounted D-921 Light	With Ceiling Mounted D-902C Light	Without Dental Light
Eurus S6 'Surgery System' Holder Type (A)	£28,265	£28,730	£26,500
Eurus S6 'Surgery System' Holder Type (E)	£31,355	£31,820	£29,590
Eurus S6 'Vac-Pac System' Holder Type (A)	£23,485	£23,950	£21,720
Eurus S6 'Vac-Pac System' Holder Type (E)	£26,540	£27,005	£24,775
Eurus S6 'Flexible System' (A) Dental Chair and Cuspidor with Eurus Cabinet Mounted Module or Mobile Cart Delivery System	£27,595	£28,060	£25,830
Eurus S6 'Flexible System' (E) Dental Chair and Cuspidor with Eurus Cabinet Mounted Module or Mobile Cart Delivery System	£30,615	£31,080	£28,850
When light sold with package above the saving over recommended retail price is:	Save £1,265	Save £1000	£0

Please state light model number when ordering treatment centre

### Eurus S6 **Treatment Centres** with folding and extending legrest

## (]Belmont

#### Surgery System (A and E) with 921 unit-mounted operating light consists of ~ Chair section features include:

Maximum safe working patient weight of 165kg (IEC60601-1 / ISO 6875) Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Chair armrest folds away 180 degrees towards the back of the chair for easy infirm patient entry Synchronised axis backrest & seat movement Taller backrest cushion with additional lumbar support for greater patient comfort Integrated foot stalks for chair control Integrated service centre Seamless upholstery as standard

#### Unit section (A) Doctor side: features include:

Below-the-patient swing-arm delivery system Height adjustable unit tray with pneumatic release and lock button Powerful intuitive touch-screen with advanced instrument control Autoclavable unit handle cover, handpiece holders unit tray silicon mat Easy-clean membrane switch panel 3-way autoclavable syringe 3 Fibre-optic & 1 non-optic handpiece outlets with individual air & water control First priority handpiece selection Handpiece water line flush-out system Handpiece oil mist collector Wireless electronic foot control for accurate instrument operation with integrated lifting handle Bottle water system

## **Unit section (E) Doctor side** additional *features include:*

Bien-Air MX2 fibre optic micro motor Pre-set micro motor & torque control with auto-reverse, Endo control and LCD display, with 2 fibre-optic outlets Optional upgrade to WaveOne endodontic system Optional upgrade to Implantology Motor System

#### Assistant side (A and E) features include:

Easily-detached porcelain bowl with 90 degree rotation Cuspidor with 90 degree rotation away from the chair for accessing the patient from the left side 921 LED dental light with detachable autoclavable handles Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-clean membrane chair pre-set controls Detachable HVE & saliva ejector tubings 2 x HVE with ball joint for greater ease of operation Automatic bowl-flush & cup filler Chair movement lock indicators located on the

cup filler spout and touch-screen Durr spittoon valve

### 'Vac-Pac System' (A and E)

includes the same as 'Surgery System' with a Vac-Pac system (in lieu of a cuspidor) features include: Assistant's console Easy-access detachable filter Autoclavable HVE & saliva ejector Funnel connection hose



### Eurus S6 **Treatment Centres** with folding and extending legrest

#### Flexible Treatment Centres Type (A and E) with 921 unit-mounted operating light consists of ~

#### Chair section features include:

Maximum safe working patient weight of 165kg (IEC60601-1 / ISO 6875)

Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Chair armrest folds away 180 degrees towards the back of the chair for easy infirm patient entry Synchronised axis backrest & seat movement Taller backrest cushion with additional lumbar support for greater patient comfort Integrated foot stalks for chair control Integrated service centre Seamless upholstery as standard

#### 'Flexible System A & E'

Flexible System with Eurus Cabinet Module or Mobile Cart delivery systems A & E (please specify) **'A' version** features include: Cabinet mounting bracket and arm or height

Cabinet mounting bracket and arm or height adjustable mobile cart base Autoclavable unit handle cover, handpiece holders and unit tray silicon mat Easy clean membrane switch panel Doctor handpiece control touch screen 3-way autoclavable syringe 3 Fibre optic & 1 non optic handpiece outlets with individual air & water controls First priority handpiece selection Wireless electronic foot control for accurate instrument operation with integrated lifting handle Handpiece flush-out Handpiece oil mist collector Bottled water system

#### 'E' version additional features include:

Bien-Air MX2 fibre optic micro motor Pre-set micro motor & torque control with auto-reverse, Endo control and LCD display, with 2 fibre-optic outlets

Optional upgrade to WaveOne endodontic system Optional upgrade to Implantology Motor System

#### Assistant side (A and E) features include:

Easily-detached porcelain bowl with 90 degree rotation Cuspidor with 90 degree rotation away from the chair for accessing the patient from the left side 921 LED dental light with detachable autoclavable handles Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-clean membrane chair pre-set controls

Detachable HVE & saliva ejector tubings 2 x HVE with ball joint for greater ease of operation Automatic bowl-flush & cup filler Chair movement lock indicators located on the cup filler spout and touch-screen Durr spittoon valve

#### Important:

Maximum loom length between module or cart to the chair is 6.7metres (standard is 2.7metres).

#### Please read before placing your order:

When ordering a Flexible Treatment Centre, it is imperative that you order the correct item – either a **Cabinet Mounted Module or Mobile Cart**. If the **incorrect item** has been entered onto your purchase order and delivered to you, the cuspidor and delivery unit will need **returning to Takara Belmont (UK) Ltd** (before unpacking).Two completely new items will need to be manufactured to the correct specification, which will cause delays for your installation at the dental practice, and cost implications may be incurred.



## Eurus S6 Factory Built-in Options

## (**Belmont**

	for Eurus S6
£0	NSK NLX-Plus micro motor
	(in place of Bien Air MX2 micro motor on 'E' version only)
£1,475	Additional Bien Air MX2 fibre-optic micro motor *
£3,850	Upgrade to Bien Air Implantology Motor System
£1,105	Upgrade to Bien Air WaveOne System with Contra Angle
£1,645	Additional NSK NLX-Plus fibre-optic micro motor *
£2,215	Cavitron G-139 scaler
£1,510	NSK Varios 170 non-optic scaler
£1,790	NSK Varios 170 optic scaler
£1,590	Satelec Newtron scaler
£1,875	Satelec Newtron LED scaler
£3,005	Durr CAS 1 Combi-Separator with rinse
£1,695	Acteon C20 HD Intra-Oral Camera
£735	Monitor mount
£425	Additional 3-way autoclavable syringe (assistant side)
£95	Tissue box holder (suits 72 wipe box H108mm, W138mm, D31mm)
£245	Flushing Tray A (Holder Type)
£270	Annual Service Kit 7

\* Additional micro motors must be the same model as the primary micro motor.

## Eurus S8 Ambidextrous

<b>TREATMENT CENTRES</b> (Below-the-Patient delivery system)	With Unit Mounted D-921LR Light	With Ceiling Mounted D-902C Light	Without Dental Light
Eurus S8 'Surgery System' Holder Type (A)	£24,440	£24,905	£22,675
Eurus S8 'Surgery System' Holder Type (E)	£27,485	£27,950	£25,720
Eurus S8 'Vac-Pac System' Holder Type (A)	£22,105	£22,570	£20,340
Eurus S8 'Vac-Pac System' Holder Type (E)	£25,155	£25,620	£23,390
Eurus S8 'Surgery System' CM Rod Swing (A)	£27,025	£27,490	£25,260
Eurus S8 'Surgery System' CM Rod Swing (E)	£29,995	£30,460	£28,230
Eurus S8 'Vac-Pac System' CM Rod Swing (A)	£24,040	£24,505	£22,275
Eurus S8 'Vac-Pac System' CM Rod Swing (E)	£27,015	£27,480	£25,250
When light sold with package above the saving over recommended retail price is:	Save £1,265	Save £1000	£0

Please state light model number when ordering treatment centre

### Eurus S8 Treatment Centres

## (Belmont

### Surgery System (A and E) (Ambidextrous) with 921 unit-mounted operating light consists of ~

#### Chair section features include:

Maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875)

Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Swing-out armrest to 90 or 135 degrees Synchronised axis backrest & seat movement Integrated foot stalk or combined with unit foot controller (Holder Type) Integrated foot stalks for chair control (Rod Type) Integrated service centre Seamless upholstery as standard

#### Unit section (A) Doctor side: features include:

Below-the-patient swing-arm delivery system Height adjustable unit tray with 3 settings (Holder Type)

Powerful intuitive touch-screen with advanced instrument control

Autoclavable unit handle cover, handpiece holders & tray silicon mat / Rod Type handpiece place mat Easy-clean membrane switch panel

3-way autoclavable syringe

3 Fibre-optic & 1 non-optic handpiece outlets with individual air & water control First priority handpiece selection Handpiece water line flush-out system Handpiece oil mist collector Wireless electronic foot control for accurate instrument operation with integrated lifting handle plus chair manual control movements (Holder Type) Bottle water system

## **Unit section (E) Doctor side** additional *features include:*

NSK NLX-Plus fibre optic micro motor Pre-set micro motor & torque control with auto-reverse & touch-screen display 2 fibre-optic outlets

Implantology and WaveOne Systems are available as an additional option when the Bien Air MX2 micro motor is fitted

#### Assistant side (A and E)

features include: Easily-detached porcelain bowl with

90 degree rotation Cuspidor with 90 degree rotation away from the chair for accessing the patient from the left and right sides 921LR LED dental light with detachable autoclavable handles Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-clean membrane chair pre-set controls Detachable HVE & saliva ejector tubings 2 x HVE with ball joint for greater ease of operation Automatic bowl-flush & cup filler Chair movement lock indicators located on the cup filler spout and touch-screen Durr spittoon valve

### Eurus S8 Vac-Pac Treatment Centres

## ()Belmont



Surgery System (A and E) (Ambidextrous) with 921 unit-mounted operating light consists of ~

#### Chair section features include:

Maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875)

Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return plus 6 operator configurations Swing-out armrest to 90 or 135 degrees Synchronised axis backrest & seat movement Integrated foot stalk or combined with unit foot controller (Holder Type) Integrated foot stalks for chair control (Rod Type) Integrated service centre Seamless upholstery as standard

#### Unit section (A) Doctor side: features include:

Below-the-patient swing-arm delivery system Height adjustable unit tray with 3 settings (Holder Type)

Powerful intuitive touch-screen with advanced instrument control

Autoclavable unit handle cover, handpiece holders & tray silicon mat / Rod Type handpiece place mat Easy-clean membrane switch panel 3-way autoclavable syringe 3 Fibre-optic & 1 non-optic handpiece outlets with individual air & water control First priority handpiece selection Handpiece water line flush-out system Handpiece oil mist collector Wireless electronic foot control for accurate instrument operation with integrated lifting handle plus chair manual control movements (Holder Type)

Bottle water system

## **Unit section (E) Doctor side** additional *features include:*

NSK NLX-Plus fibre optic micro motor Pre-set micro motor & torque control with auto-reverse & touch-screen display 2 fibre-optic outlets

Implantology and WaveOne Systems are available as an additional option when the Bien Air MX2 micro motor is fitted

#### **'Vac-Pac System' (A and E)** (Ambidextrous)

includes the same as 'Surgery System' with a Vac-Pac system (in lieu of a cuspidor) features include:

Assistant console with: Extendable console arm safety lockout if arm is lifted Easy-access detachable filter Autoclavable HVE & saliva ejector Funnel connection hose Chair control auto & manual touch pad Assistant tray

Chair mounted under patient ambidextrous Rod Swing (A and E) Treatment Centre shown with optional large tray



## Eurus S8 Factory Built-in Options

## **(Belmont**

	for Eurus S8
£0	Bien Air MX2 micro motor
	(in place of NSK NLX-Plus micro motor on 'E' version only)
£1,475	Additional Bien Air MX2 fibre-optic micro motor *
£3,850	Upgrade to Bien Air Implantology Motor System
£1,105	Upgrade to Bien Air WaveOne System with Contra Angle
£1,645	Additional NSK NLX-Plus fibre-optic micro motor *
£2,215	Cavitron G-139 scaler
£1,510	NSK Varios 170 non-optic scaler
£1,790	NSK Varios 170 optic scaler
£1,590	Satelec Newtron scaler
£1,875	Satelec Newtron LED scaler
£3,005	Durr CAS 1 Combi-Separator with rinse
£1,695	Acteon C20 HD Intra-Oral Camera
£735	Monitor mount
£425	Additional 3-way autoclavable syringe (assistant side)
£190	Large tray (double size for Rod Type)
£95	Tissue box holder (suits 72 wipe box H108mm, W138mm, D31mm)
£245	Flushing Tray A (Holder Type)
£245	Flushing Tray B (Rod Type)
£270	Annual Service Kit 7

\* Additional micro motors must be the same model as the primary micro motor.

## Voyager III Ambidextrous

TREATMENT CENTRES Below-the-Patient delivery system and flexible options	With Unit Mounted 320LR Light	With Ceiling Mounted 302C Light	Without Dental Light
Voyager III 'Surgery System'	£15,360	£15,760	£14,020
Voyager III 'SP' Chair with ambidextrous cuspidor with Voyager Cabinet Mounted Module or Mobile Cart delivery system	£15,360	£15,760	£14,020
When light sold with package above the saving over recommended retail price is:	Save £855	Save £870	£0
TREATMENT CENTRES Below-the-Patient delivery system and flexible options	With Unit Mounted 920LR Light	With Ceiling Mounted D-902C Light	Without Dental Light
Voyager III 'Surgery System'	£15,980	£16,810	£14,020
Voyager III 'SP' As above	£15,980	£16,810	£14,020
When light sold with package above the saving over recommended retail price is:	Save £885	Save £440	£0
Voyager III 'SP' Chair with ambidextrous cuspidor (without	operating light)		£10,750

Please state light model number when ordering treatment centre

## **MODULE & MOBILE CART OPTIONS**

Voyager 'M' & 'MC' Module and Mobile Cart delivery system

£3,270

### Voyager III Treatment Centres & Flexible Systems

regulators

control

## **L**Belmont

#### 'SP' 'Surgery System' (Ambidextrous) (Ambidextrous) with 320LR unit-mounted Operating Light consists of ~ consists of ~ Chair section features include: Chair section features include: The Voyager III has a maximum safe working patient weight of 135kg (IEC60601-1 / ISO 6875) Twin-articulating headrest Twin-articulating headrest 2 preset positions, Last Position Memory (LP) & Auto-Return & Auto-Return Swing-out armrests (left & right) Swing-out armrests (left & right) Integral service centre with air & water filter regulators 8-way foot control 8-way foot control **Base-mounted swing-around delivery** system features include: features include: Porcelain cuspidor bowl 3 handpiece outlets with individual air & water Manual cup-filler & bowl-flush 3-way autoclavable syringe Table safety lock device 1 detachable saliva ejector Quick flush-out system Durr spittoon valve Bottled water system Stainless steel instrument tray Non-slip mat Chair-mounted rotatable cuspidor unit features include: Porcelain cuspidor bowl Manual cup-filler & bowl-flush 1 detachable high volume evacuator 1 detachable saliva ejector Easily-accessed & detached solids collector Durr spittoon valve

Individual Delivery Options - p.28 Intra-Oral X-Ray Units - p.34 Operating Lights - p.36 Upholstery Prices - p.40 Upholstery Options - see separate swatch brochure for colours

Voyager III Dental Chair with cuspidor

The Voyager III has a maximum safe working patient weight of 135kg (IEC60601-1 / ISO 6875) 2 preset positions, Last Position Memory (LP) Integral service centre with air & water filter Chair-mounted rotatable cuspidor unit 1 detachable high volume evacuator Easily-accessed & detached solids collector

## Voyager III Factory Built-in Options

	for Voyager
£2,580	Bien Air Optima MCX LED
	(inc. standard fibre-optic micro motor, turbine hose & touch pad control)
£2,580	NSK NLX-Nano fibre-optic pack
	(inc. NLX-Nano fibre-optic micro motor, turbine hose & touch pad control)
£3,145	NSK NLX-Plus multi-pad endo pack
	(inc. NLX-Plus fibre-optic micro motor, turbine hose & multi-pad Endo control)
£850	Bien Air fibre-optic kit (inc. 1 turbine hose)
£305	Additional fibre-optic outlet
£2,215	Cavitron G-139 scaler
£1,510	NSK Varios 170 non-optic basic scaler
£1,790	NSK Varios 170 optic scaler (with touch pad control)
£1,590	Satelec Newtron scaler
£1,875	Satelec Newtron LED scaler
£425	Additional 3-way autoclavable syringe
	on Assistant's side inc. bottled water system
£0	Standard (10x10) Module Arm (alternative to Voyager Arm System)
£530	Touch pad assembly for chair control fitted to Operator's table
£750	Monitor mount
£1,695	Acteon C20 HD Intra-Oral Camera
£90	Extra-long umbilical (up to 4 metres for Mobile Cart only)
£95	Tissue box holder (suits 72 wipe box H108mm, W138mm, D31mm)
£125	Floor box fitted to cart base
£245	Flushing Tray A (Holder Type)
£260	Annual Service Kit 1 (for Voyager I, II & III Treatment Centres)
£170	Annual Service Kit 2 (for Voyager Module and Cart)

## Vision. Focus. Precision.

Keep your dental **expertise sharp** with our **innovative**, **trusted brand** 



Perfecting the art of dentistry

belmontdental.co.uk

## **Flexible Delivery Options**

	BILE CART (	
MODU		

<b>Voyager 'M' &amp; 'MC'</b> Module and Mobile Cart delivery system	£3,270
Clesta II 'M' & 'MC' (A) Module and Mobile Cart delivery system	£5,325
Clesta II 'M' & 'MC' (E) Module and Mobile Cart delivery system	£8,420
<b>Eurus 'M' &amp; 'MC' (A)</b> Module and Mobile Cart delivery system	£6,380
Eurus 'M' & 'MC' (E) Module and Mobile Cart delivery system	£9,430

Voyager 'M' & 'MC' **Factory Built-in Options** Please refer to page 26 for prices

Clesta II 'M' & 'MC' **Factory Built-in Options** Please refer to page 30 for prices

Eurus 'M' & 'MC' **Factory Built-in Options** Please refer to page 31 for prices

## Universally compatible **Flexible Options**



Voyager 'M' & 'MC' Module delivery system features include: Mounting arms & bracket Mobile Cart delivery system with height-adjustable mobile base features include: 3 handpiece outlets with individual air & water control 3-way autoclavable syringe Bottled water system Stainless steel instrument tray

Non-slip mat Service centre with air filter regulator

### Clesta II 'M' & 'MC' (A)

**Module delivery system** features include: Mounting arms & bracket **Mobile Cart delivery system** with height-adjustable mobile base features include:

3-way autoclavable syringe 3 handpeice outlets with individual air & water control Handpiece flush-out system Bottled water system Service centre with air filter regulator

#### Clesta II 'M' & 'MC' (E) Module and Mobile Cart delivery system

features includes the same as the 'A' type but with the following additional features: NSK NLX-Plus fibre-optic micro motor Preset micro motor & digital display 2 fibre-optic outlets First Priority handpiece selection Handpiece oil mist collector

#### Eurus Cabinet Mounted Module and Mobile Cart Standalone or with Eurus Chair options Unit (A) Features include: Powerful intuitive touch-screen with advanced instrument control Autoclavable unit handle cover, handpiece holders, unit tray silicon mat. Easy-clean membrane switch panel for chair control 3-way autoclavable syringe 3 Fibre-optic & 1 non-optic handpiece outlets with individual air & water control First priority handpiece selection Handpiece water line flush-out system Handpiece oil mist collector Electronic foot control (wired) for accurate turbine speed control and integrated lifting handle Bottled water system

Chair connecting loom length of 4m when ordered with a Eurus Chair

#### Unit (E) with additional options.

Eurus 'M' & 'MC'

Additional features & new integrated options include: Bien-Air MX2 fibre optic micro motor Pre-set micro motor & torque control with auto-reverse, Endo control and LCD display and two fibre optics. Available optional up-grade treatment functions: WaveOne endodontic system Implantology complete system including, Bien-Air MX-i micro motor and CA 20:1 handpiece, irrigation pump and stand

Unit section (E) Additional features include: NSK NLX-Plus fibre optic micro motor Pre-set micro motor & torque control with auto-reverse & touch-screen display 2 fibre-optic outlets

Individual Delivery Options – p.28 Intra-Oral X-Ray Units – p.34 Operating Lights – p.36 Upholstery Prices – p.40 Upholstery Options – see separate swatch brochure for colours

## Clesta II Module & Cart Factory Built-in Options

## Eurus Module & Cart Factory Built-in Options

**Belmont** 

Bien Air MX2 micro motor (in place of NSK NLX-Plus micro motor on 'E' version only) Bien Air MX2 Optima INT Endo pack (inc. standard fibre-optic micro motor, turbine hose & Optima INT Endo control) NSK NLX-Nano fibre-optic pack
Bien Air MX2 Optima INT Endo pack (inc. standard fibre-optic micro motor, turbine hose & Optima INT Endo control)
(inc. standard fibre-optic micro motor, turbine hose & Optima INT Endo control)
NSK NLX-Nano fibre-optic pack
(inc. NLX-Nano fibre-optic micro motor & turbine hose)
NSK NLX-Plus multi-pad Endo pack
(inc. NLX-Plus fibre-optic micro motor, turbine hose & multi-pad Endo control)
Additional Bien Air MX2 fibre-optic micro motor *
Additional NSK NLX-Nano fibre-optic micro motor *
Additional NSK NLX-Plus fibre-optic micro motor *
Bien Air fibre-optic kit (inc. 1 turbine hose)
Additional fibre-optic outlet
Cavitron G-139 scaler
NSK Varios 170 non-optic scaler
NSK Varios 170 optic scaler
Satelec Newtron scaler
Satelec Newtron LED scaler
Acteon C20 HD Intra-Oral Camera
Handpiece oil mist collector (Flexible 'A' version only)
Extra-long umbilical (up to 4 metres for Mobile Cart only)
Floor box fitted to cart base
Annual Service Kit 3 (for Clesta I & II Module and Cart)

\* Additional micro motors must be the same model as the primary micro motor.



	for Eurus Module & Cart
£0	NSK NLX-Plus micro motor
	(in place of Bien Air MX2 micro motor on 'E' version only)
£1,475	Additional Bien Air MX2 fibre-optic micro motor *
£3,850	Upgrade to Bien Air Implantology Motor System
£1,105	Upgrade to Bien Air WaveOne System with Contra Angle
£1,645	Additional NSK NLX-Plus fibre-optic micro motor *
£2,215	Cavitron G-139 scaler
£1,510	NSK Varios 170 non-optic scaler
£1,790	NSK Varios 170 optic scaler
£1,590	Satelec Newtron scaler
£1,875	Satelec Newtron LED scaler
£1,695	Acteon C20 HD Intra-Oral Camera
£975	Wireless unit foot controller (when factory fitted)
£17	Connecting lead (Comm.) for Eurus Chair to Cart/Cabinet Mount (3.5m) - 1A0WLAA0
£180	Floor box fitted to cart base
£270	Annual service Kit 7

\* Additional micro motors must be the same model as the primary micro motor.

#### Eurus Cabinet Mounted Module and Mobile Cart Standalone or with Eurus Chair options





## **Dental Chairs**

WITH FOLDING AND EXTENDING LEGREST	
<b>Eurus Swivel Chair</b> Standalone chair (or linked to Eurus Cabinet Mounted Module or Cart) <i>with</i> Twin-articulating headrest & cable free base rotation 105 degrees (L & R), available in all seamless and luxury upholstery	£9,575
<b>Eurus Swivel PH Chair</b> with Power headrest (special order) available in all seamless and luxury upholstery	£10,905
<b>050 Clair Chair</b> <i>with</i> Twin-articulating headrest available in all seamless and luxury upholstery	£9,355

FIVED	ICODECT
FIAED	LEGREST

<b>Eurus Contour Chair</b> Standalone chair (or linked to Eurus Cabinet Mounted Module or Cart) available in all seamless and luxury upholstery	£7,025
<b>Eurus Contour PH Chair</b> with Power headrest (special order) available in all seamless and luxury upholstery	£7,950
Clesta II Chair Standalone chair <i>with</i> Twin-articulating headrest, available in all seamless and luxury upholstery	£6,450

## Folding & Fixed Legrest **Dental Chairs**

Eurus	Swivel	Chair

features include:

Standalone chair

Maximum safe working patient weight of 165kg (IEC60601-1 / ISO 6875) Taller backrest cushion with additional lumbar support for greater patient comfort Cable free base rotation 105 degrees (L & R) Twin-articulating headrest with more precise positioning and lighter adjustment Synchronised axis backrest, seat & legrest movement

Integrated foot stalks for chair control with 2 pre-set positions, Last Position Memory (LP) & Auto-return

Automatic extendable legrest with manual override & auto safety stop Foldaway armrests Seamless upholstery as standard

#### 050 Clair Chair

#### features include:

Maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875) Twin-articulating headrest 2 preset positions, Last Position Memory (LP) & Auto-Return Automatic extendable legrest with manual override & auto-safety stop Foldaway, detachable armrests Seamless upholstery as standard

### **Eurus Contour**

features include:

Standalone chair (or linked to Eurus Cabinet Mounted Module or Cart) Maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875) Twin-articulating headrest with more precise positioning and lighter control adjustment 2 pre-set positions, last position memory (LP) & auto-return Swing-out armrest to 90 or 135 degrees Synchronised axis backrest & seat movement Integrated foot stalks for chair control Seamless upholstery as standard

**D**Belmont

### Clesta II Chair

### features include:

Standalone chair Maximum safe working patient weight of 200kg (IEC60601-1 / ISO 6875) Twin-articulating headrest 2 preset positions, Last Position Memory (LP) & Auto-Return Swing-out armrest Synchronised axis backrest 8-way foot control Seamless upholstery as standard

All standalone chairs can have a light post and bracket fitted (see page 37 for details)

## Intra-Oral X-Ray Units

## **097 BELRAY II**

097WK-300 Belray II wall-mounted, with 300mm primary arm, wall plate, scissor-type arm	£3,550
<b>097WK-800 Belray II</b> wall-mounted, with 800mm primary arm, wall plate, scissor-type arm	£3,550
097WK-1000 Belray II wall-mounted, with 1,000mm primary arm, wall plate, scissor-type arm	£3,550

## Belmont Touch PHOT-X IIS DC LCD X-RAY

<b>505WK-300</b> wall-mounted, with 300mm primary arm, wall plate, scissor-type arm	£4,220
<b>505WK-800</b> wall-mounted, with 800mm primary arm, wall plate, scissor-type arm	£4,220
<b>505WK-1000</b> wall-mounted, with 1,000mm primary arm, wall plate, scissor-type arm	£4,220
505FM mobile base	£4,645
<b>505CK</b> ceiling-mounted, with ceiling-mount pole & bracket	£5,090
505FK floor-mounted base	£3,950

### 097 Belray II & Phot-X IIS DC LCD Intra-Oral X-Ray Units & optional extras

### **097 Belray II** features include: 70 KVP 0.7mm focal spot Digital time display Digital imaging compatible (min. exposure 0.02 sec) Manual override for total flexibility Touch control for 2 film settings & digital imaging Lockable touch pad control Optional cone length & tube current Rectangular Collimator Hand exposure switch assembly models include:

#### 097WK-300 097WK-800 097WK-1000

£340

£340

£360

#### Wall-mounted, wall plate, scissor-type arm \* **OPTIONS:** primary arm length (\*Max. reach) of 300mm (1,350\*) / 800mm (1,850\*) / 1,000mm (2,050\*)

### Phot-X IIS DC LCD X-Ray

features include: Touchscreen control Easy-clean glass screen Safety-conscious technologies USB port Instant Error Code reports Lockable keypad Adult/adolescent/child presets 60 or 70 KVP selectable 0.4mm focal spot Digital time display Radiation dose display Compatible for digital imaging (min. exposure 0.01 sec) Manual override for total flexibility Optional cone length, tube current & tube voltage **Rectangular** Collimator Hand exposure switch assembly models include: 505WK-300 505WK-800 505WK-1000 Wall-mounted, wall plate, scissor-type arm \* **OPTIONS:** primary arm length (\*Max. reach) of 300mm (1,420\*) / 800mm (1,920\*) / 1,000mm (2,120\*) 505FM Mobile base 505FK Floor-mounted base 505CK Ceiling-mounted, with ceiling-mount pole & bracket

#### \* OPTIONS:

Ceiling Height (mm)	Pole Length (mm)
2,700	1,070
3,000	1,370

#### \*Please specify when ordering

Individual Delivery Options – p.28 Intra-Oral X-Ray Units – p.34 Operating Lights – p.36 Upholstery Prices – p.40 Upholstery Options – see separate swatch brochure for colours

Optional extras for 097 Belray II

**Optional extras for Phot-X IIS** 

Long cone for paralleling technique

Long cone for paralleling technique

Operating Light bracket for 505CK

() Belmont

## **Operating Lights**

## **300 LED SERIES MODELS**

<b>301U LED</b> post-mounted	£1,805
<b>302C LED</b> ceiling-mounted	£2,610
320LR LED unit-mounted	£2,195

## 900 LED SERIES MODELS

D-901U LED post-mounted	£2,905
<b>D-902C LED</b> ceiling-mounted, suitable for a maximum ceiling height 305cm	£3,230
D-902CX LED ceiling-mounted, to be used with Belmont ceiling-mounted X-Ray	£2,965
D-905T LED ceiling-track - please specify pole length required	£4,205
920LR LED chair-mounted, only compatible with Voyager III & III 'SP'	£2,845
<b>D-921 LED</b> unit-mounted, only compatible with Eurus S1 & S6	£3,030
D-921LR LED unit-mounted, only compatible with Eurus S8	£3,030

## **REPLACEMENT LIGHTS FOR PREVIOUS UNITS**

<b>320LR LED + Kit</b> unit-mounted light plus fitting kit 1P051PA0 (to replace the 048 & 720S LR lights for Voyager II/IIL only)	£2,395
920R LED + Kit unit-mounted light plus fitting kit for Cleo II 1P087VA0 unit-mounted light plus fitting kit for Clesta II 1P087VA0-CL2	£2,975
920LR LED + Kit unit-mounted light plus fitting kit for Voyager III 1P08CEA0 unit-mounted light plus fitting kit for tbCompass 1P08CDA0	£2,975

### LED Operating Lights & optional extras

### **300 LED Series**

features include: White natural beam, 5000 Kelvin (5 LEDs) Touchless sensor switch Composite Curing Safe Mode Triple-axis head movement Auto ON/OFF with preset chair positions\* models include: 301U LED Post-mounted

302C LED Ceiling-mounted 320LR LED Unit-mounted, only compatible with Voyager III 'Surgery System' & Voyager III 'SP' \* Applies to unit-mounted versions only.

## **(]Belmont**

#### 900 LED Series

features include: White natural beam, 5000 Kelvin (10 LEDs) Touchless sensor switch Composite Curing Safe Mode Triple-axis head movement Auto ON/OFF with preset chair positions models include: D-901U LED Post-mounted

D-902C LED Ceiling-mounted, suitable for a maximum ceiling height 305cm D-902CX LED Ceiling-mounted, to be used

with Belmont ceiling-mounted X-Ray unit **D-905T LED** Ceiling-track with pole: \* **OPTIONS:** 

Ceiling Height (mm)	Pole Length (mm)
2,380	380
2,480	480
2,530	530
2,680	680
2,840	840
3,000	1,000

920LR LED Chair-mounted, only compatible with Voyager III and III 'SP' D-921 LED Unit-mounted, only compatible with Eurus S1 & S6

**D-921LR LED** Unit-mounted, only compatible with Eurus S8

\*Please specify when ordering

#### **Optional extras for Belmont Operating Lights**

- £895 Chair-mounted light-post and bracket for all chairs (Part No UK-217 & UK-218)
- **£210** 1,500 mm ceiling-pole in lieu of 1,000 mm pole (suitable for max. ceiling height 3,550 mm) (Part No. UK-068)
- £135 Patient Mirror for 900 LED Series (Part No. 1G02WMB0)

## **Dental Stools**

## SADDLE STOOL

Saddle Stool

### **FOR OPERATORS**

<b>ic-D</b> Gas Lift	£450
ic-DF Gas Lift	£480
ic-Tilt Gas Lift	£630

£650

## FOR ASSISTANTS

<b>ic-DSA</b> Gas Lift	£490
<b>ic-DSAF</b> Gas Lift	£590
<b>ic-DSSA</b> Swing-Arm type	£680

Gas Lift

Gas lift adjustable seat height Adjustable seat tilt angle Seat height 580 - 780mm max. ic-D Stool

**Operators' & Assistants'** 

**Dental Stools & optional** 

Five-point polished aluminium base

extras

Saddle Stool

Smooth running castors

Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Seat height 490 - 620mm max.

#### ic-DF Stool

Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Independent backrest height adjustment Free floating and lockable backrest angle Seat height 500 - 630mm max.

#### ic-Tilt Stool

Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Independent backrest height adjustment Free floating and lockable seat & backrest angle Seat height 500 - 630mm max.

### ic-DSA Stool

Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Footrest ring Seat height 530 - 730mm max.

**D**Belmont

### ic-DSAF Stool

Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Independent backrest height adjustment Free floating and lockable backrest angle Footrest ring

Seat height 540 - 740mm max.

## ic-DSSA Stool

Swing-Arm type Five-point polished aluminium base Smooth running castors Gas lift adjustable seat height Independent backrest height adjustment Backrest horizontal forward and back movement Footrest ring Seat height 590 - 730mm max.

\* All stools benefit from: Easy clean upholstery Double-density cushioning

#### **Optional extras for Operating Stools**

£60 Footring for ic-Tilt, ic-DF & ic-D

Individual Delivery Options - p.28 Intra-Oral X-Ray Units - p.34 Operating Lights - p.36 Upholstery Prices - p.40 Upholstery Options - see separate swatch brochure for colours



Please see swatch brochure for upholstery options

Upholstery Fabric range options for Treatment Centres, Dental Chairs and Dental Stools

SEAMLESS UPHOLSTERY		
Standard colours	£0	
Ultrasoft colours	£450	
Ultrasoft Pearlised colours	£450	


LUXURY UPHOLSTERY	
<b>Ultrasoft colours</b> Not available on Voyager III treatment centre	£750
Ultrasoft Pearlised colours Not available on Voyager III treatment centres	£750

DENTAL STOOLS	
Standard colours	£0
Ultrasoft colours	£100
Ultrasoft Pearlised colours	£100

### **IMPORTANT NOTE:**

Cancelled or amended orders of Ultrasoft or Ultrasoft Pearlised upholstery will incur the following fee: £500 per Luxury chair, £250 per Seamless chair, and £50 per stool.

# Seamless Upholstery Available in a choice of four fabrics



## Luxury Upholstery Available in a choice of two fabrics



## Hygiene & Care For Cleaning Standards Beyond the Standard

For cleaning and maintenance of your treatment centre we highly recommend the following products:

## TREATMENT CENTRE MAINTENANCE

<b>B100</b> (250ml) Upholstery cleaning and care	£32
<b>B300</b> (1 litre) Surface disinfector	£28

Effective against all viruses, including COVID-19

Designed for easy use

Guarantees safety during application

Approved by the Commission for Hospital Hygiene & Infectious Disease Prevention at the Robert Koch Institute (RKI)



Our flagship folding legrest treatment centre allows **closer patient consultations** and **reduces patient anxiety** with discreet positioning of doctors table and instruments



## Find out about our **new** Dental Treatment Education Unit



## The perfect start to a great dental career

#### See our brochure:



## Dental Equipment Service Kits

## **ANNUAL SERVICE KIT 1**

for : Voyager I, II & III Treatment Centres

consists of ~ <b>Part Number</b>	Qty	Description
SK001	1	SK for Auto-select block 3-handpieces (1P055WA0)
SK003-A	1	Sk for Water relay valve (1P06BWA0)
SK004	2	SK for Large/main master valve (1P055ZA0)
Y3072	1	Deluxe Autoclavable Valve Core Style Syringe - Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n – .042 x 0050 (Pack of 12)
DAQR51A0	1	Oil Separator Filter for Voyager/Voyager-II L Unit
FJOA09A0	1	Element for Air Filter Regulator
Y8136	1	CWS Manifold Washer
1E097DA0	1	Water Filter Element 100 Micro
1A025DB0	1	Drain Strainer
DU-7560-500-22	2 1	Diaphragm for Isolation Valve (7560-500-60)

£260

## **ANNUAL SERVICE KIT 2**

#### for : Voyager Module and Cart

consists of ~ <b>Part Number</b>	Qtv	Description
SK001	1	SK for Auto-select block 3-handpieces (1P055WA0)
SK003-A	1	SK for Water relay valve (1P06BWA0)
SK004	1	SK for Large/main master valve (1P055ZA0)
Y3072	1	Deluxe Autoclavable Valve Core Style Syringe - Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n042 x 0050 (Pack of 12)
DAQR51A0	1	Oil Separator Filter for Voyager/Voyager-II L Unit
Y8136	1	CWS Manifold Washer
5726-04	1	Filter for Voyager-M Air Regulator (B07-201-A1KG)
		£170

## **ANNUAL SERVICE KIT 3**

consists of ~ <b>Part Number</b>	011	Description
Furrinumber	Qty	Description
SK002	1	SK for Auto-select block 4-handpieces (1P055XA0)
SK003-A	1	SK for Water relay valve (1P06BWA0)
SK006	1	SK for Small master valve (1P0561B0)
Y3072	1	Deluxe Autoclavable Valve Core Style Syringe - Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n042 x 0050 (Pack of 12)
FJOA09A0	1	Element for air filter regulator
Y8136	1	CWS Manifold Washer
FARA71B0	1	Sponge for Oil Mist Collector

## **ANNUAL SERVICE KIT 4**

for : Clesta II and Compass Treatment Centres

consists of ~ Part Number	Qty	Description
	-	-
SK002	1	SK for Auto-select block 4- handpieces (1P055XA0)
SK003-A	1	SK for Water relay valve (1P06BWA0)
SK004	2	SK for Large/main master valve (1P055ZA0)
Y3072	2	Deluxe Autoclavable Valve Core Style Syringe - Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n – .042 x 0050 (Pack of 12)
FJOA09A0	1	Element for Air Filter Regulator
1E097DA0	1	Water Filter Element 100 Micro
Y8136	1	CWS Manifold Washer
DU-7560-500-22	1	Diaphragm for Isolation Valve (7560-500-60)
1A025DB0	1	Drain Strainer
FARA71B0	1	Sponge for Oil Mist Collector

£295

## **Dental Equipment Service Kits**

## Belmont

## **ANNUAL SERVICE KIT 5**

for : SP-Cleo and Cleo II Treatment Centres

consists of ~ Part Number (	Qty	Description
SK002	1	SK for Auto-select block 4- handpieces (1P055XA0)
SK003-A	1	SK for Water relay valve (1P06BWA0)
SK004	2	SK for Large/main master valve (1P055ZA0)
Y3072	2	Deluxe Autoclavable Valve Core Style Syringe - Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n042 x 0050 (Pack of 12)
FJOA09A0	1	Element for Air Filter Regulator
1E097DA0	1	Water Filter Element 100 Micro
Y8136	1	CWS Manifold Washer
DU-7560-500-22	1	Diaphragm for Isolation Valve (7560-500-60)
1A025DB0	1	Drain Strainer
FARA71B0	1	Sponge for Oil Mist Collector
SK006	2	SK for small master valve (1P0561B0)

£345

## **ANNUAL SERVICE KIT 6**

#### for : Clesta I Treatment Centres

consists of ~ <b>Part Number</b>	Qty	Description
SK002	1	SK for Auto-select block 4- handpieces (1P055XA0)
SK002 SK003-A	1	
	-	SK for Water relay valve (1P06BWA0)
SK004	2	SK for Large/main master valve (1P055ZA0)
Y3072	2	Deluxe Autoclavable Valve Core Style Syringe – Syringe Valve O-Ring Kit
Y2230	1	O-Ring, Buna-n042 x 0050 (Pack of 12)
FJOA09A0	1	Element for Air Filter Regulator
1E097DA0	1	Water Filter Element 100 Micro
SK005	1	SK for Bowl Flush & Cup filler Block (1P0560B0)
Y8136	1	CWS Manifold Washer
DU-7560-500-22	2 1	Diaphragm for Isolation Valve (7560–500–60)
1A025DB0	1	Drain Strainer

£345

## **ANNUAL SERVICE KIT 7**

for : Eurus S1, S6 & S8 Treatment Centres, Cabinet Mounted Module & Mobile Cart

consists of ~		
Part Number	Qty	Description
1G0AA7A0	2	Service Kit Water/Air Main Master Valve (SK004)
1E09J6A0	1	PN8136 Washer for Water Bottle
1G0AZGB0	1	Water Filter Element 100 Micro (1E097DA0) w/Baffle and O-Ring
1G0AZHB0	1	Air Filter Element 40 Micro (1E07K9A0) w/Baffle and O-Ring
1A0GCEA0	2	Solid Collector Filter – Cone Shape
1P07BJA0	1	EURUS Water Relay Valve Kit
1A0PJKA0	1	Diaphragm for Air Valve
1A0PURA0	1	Sponge for Oil Mist
1A025DB0	1	Drain Strainer
1E09J4A0	1	PN3072 Valve Assy for DCI Syringe
1E09J5A0	1	PN2230 O-Ring Kit

£270



#### Scan to download PDF price list:



#### SALES

LONDON & SOUTH EAST Eugene O'Malley T: 0771 097 9668

#### MIDLANDS, SOUTH WEST, NORTHERN & SOUTHERN IRELAND Barry Hunt T: 0771 526 3587

#### **NORTHERN ENGLAND & SCOTLAND**

Mark Harris **T:** 0786 053 5968

#### London Head Office & Showroom

Belmont House, One St. Andrews Way, Bow, London E3 3PA T: 020 7515 0333 E: dental@takara.co.uk

Manchester Showroom 7 Quays Reach, Carolina Way, Salford, Manchester M50 2ZY T: 0786 053 5968 E: dental@takara.co.uk

All showroom visits by appointment only



belmontdental.co.uk